

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	((NAFEA) near2 (BISHARA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/15 12:35
S2	1	((TSAHI) near2 (DANIEL)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/15 12:36
S3	2	((DAVID) near2 (MELMAN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/15 12:37
S4	0	10/761879	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/15 12:37
S5	2	("6438129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:39
S6	3	("6442144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:42
S7	2	("6529507").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:42
S8	2	("6535498").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:43
S10	11009	(370/254,255,389,428).CQLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:47
S11	21230	(709/223-226).CQLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 12:47
S12	31756	S10 S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:47
S13	0	cpu with \$3approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:48
S14	1327	cpu same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:48
S15	220	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:48

S16	148	S15 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:49
S17	18	cpu with (mac adj1 address) same (fdb (forwarding adj1 database) (routing adj1 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:50
S18	11	S17 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:50
S19	24	(processor cpu) with (mac adj1 address) same (fdb (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:54
S20	18	S19 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:55
S21	11	S20 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:55
S22	2	(processor cpu) with approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 12:56
S23	0	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:00
S24	6	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:00
S25	9	build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:02
S26	3	S25 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:02
S27	201	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:04
S28	26	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:05
S29	19	S28 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:05

S30	16432	(370/254,255,389,428,392).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 13:08
S31	21230	(709/223-226).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/15 13:08
S32	37109	S31 S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:08
S33	0	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:08
S34	28	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:09
S35	10	S34 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:09
S36	7	S35 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:09
S37	22	learn\$3 with associat\$3 adj5 (source MAC address) adj6 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/15 13:13
S38	16	S37 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/15 13:13
S39	2	"802.1d" with mac same fdb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:47
S40	329	"802.1d" with mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:49
S41	7	"802.1d" with mac same (cpu processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:49
S42	5	S41 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:49
S43	0	(associat\$4 near3 (source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:59

S44	1	((assocat\$4 with (source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 12:59
S45	3	((source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:00
S46	8	((source adj1 mac adj1 address) with (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:01
S47	0	((source adj1 mac adj1 address) with (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:34
S48	0	((source adj1 mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:34
S49	0	(( mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:34
S50	3	((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:34
S51	16	((source adj3 address) same (identical adj2 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:36
S52	6	((source adj3 address) same (identical adj2 port) and mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:36
S53	3	((mac adj1 address) with (port adj1 number) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:37
S54	36	((mac adj1 address) with (port adj1 number) same learn\$3 and (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:39
S55	24	S54 and (@ad< "20040121" @rlad< "20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 13:39
S56	249	flow with source with mac with destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:34
S57	66	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:34

S58	1	flow with source with mac with destination with protocol same (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:35
S59	66	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:35
S60	39	S59 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:35
S61	35	S59 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:35
S62	11789	(370/389,392).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/19 15:36
S63	4	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:36
S64	1719	flow with (port adj1 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:38
S65	3	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:38
S66	285	S62 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:40
S67	186	S66 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:40
S68	31	S67 and (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:41
S69	88	flow with (port adj1 number) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:43
S70	18	S62 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:43
S71	6	S70 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:43

S72	57	((populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (source near3 mac adj1 address) and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:47
S73	32	S72 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:48
S74	0	((populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 with (source near3 mac adj1 address) and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:56
S75	2	((populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:56
S76	0	((populat\$3 learn\$3) with ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:59
S77	0	((populat\$3 learn\$3) same ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:59
S78	9	((populat\$3 learn\$3) same (receiv\$3 adj1 port) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 15:59
S79	0	((associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:01
S80	0	((associat\$3 with (mac adj1 address) with (receiv\$3 adj1 port)) same conflict \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:02
S81	0	((populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:02
S82	1	((populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:02
S83	16	((associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:05
S84	5	S83 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:05
S85	0	((associat\$3 same (source adj1 mac adj1 address) with identical) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:17

S86	3	associat\$3 same (source adj1 mac adj1 address) with identical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:18
S87	0	((associat\$3 same (source adj1 mac adj1 address) with conflict\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:19
S88	0	((associat\$3 same (source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:19
S89	0	(associat\$3 same ((source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:19
S90	16	associat\$3 same ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:20
S91	10	associat\$3 with ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:20
S92	0	S90 not S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:21
S93	61	flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:23
S94	42	S93 and (@ad< "20030324" @rlad< "20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:24
S95	11027	(370/254,255,389,428).CQLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/19 16:24
S96	21261	(709/223-226).CQLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/19 16:24
S97	31802	S95 S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:24
S98	4	S97 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:24
S99	55	\$flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:26

S100	7	\$6flow adj3 (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:26
S101	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:27
S102	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:27
S103	3	learn\$3 adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:30
S104	0	(populat\$3 learn\$3) adj4 (fdb (forwarding adj1 (table database))) adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:38
S105	5	(populat\$3 learn\$3) with (fdb (forwarding adj1 (table database))) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:38
S106	1085	\$6flow with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:44
S107	56	S106 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:48
S108	49	S107 and (@ad<"20040121" @rld<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 16:48
S109	2	("6633565").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/19 16:58
S110	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3 near3 mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 17:10
S111	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 17:10
S112	19	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 17:11
S113	17	S112 and (@ad<"20040121" @rld<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/19 17:11



SI 14	2	("5923654"),PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/05/19 17:15
-------	---	-----------------	--	----	-----	---------------------

**5/20/2009 12:43:15 PM****C:\Documents and Settings\hfoud\My Documents\EAST\Workspaces\10761879.wsp**